



State Board EMA Liquid

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 09-20-2017
Version 1.0

SECTION 1: IDENTIFICATION

Trade Name: State Board EMA Liquid
Chemical Name: Mixture of Acrylates
Use of Substance/Mixture: Acrylic Nails/ Beauty Supplies

Manufacturer:
Millenia Productions, LLC.
3819 N Toben Rd, Wichita, KS 67226
(316) 425-2500

Emergency Phone Number:
ChemTel Chemical Expert Assistance Hotline
Domestic: 1-800-255-3924
International: 01-813-248-0585
ChemTel: 365/24/7
Contract Number: MIS0007427

SECTION 2: HAZARD(S) IDENTIFICATION

GHS-US Classification

Flammable liquid. This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of NOHSC and ADG Code (Australia).

Hazard Pictograms



Signal Word

Danger

Hazard Statements

H225 - Highly flammable liquid and vapor.
H319 - Causes serious eye irritation.

Precautionary Statements

P210 - Keep away from heat, open flames, sparks. - No smoking.
P233 - Keep container tightly closed.
P240 - Ground/bond container and receiving equipment.
P241 - Use explosion-proof electrical, lighting, ventilating equipment.
P242 - Use only non-sparking tools.
P243 - Take precautionary measures.



State Board EMA Liquid

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 09-20-2017
Version 1.0

Precautionary Statements Continued

Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression.

Eyes:/Skin The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflammation, ulceration. The vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to skin, especially after prolonged contact. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.

Inhalation: Vapors of this product will be irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of concentrated vapors can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea). Odor may give some warning of exposure, but odor fatigue may occur.

Symptoms Of Overexposure: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.

Acute Health Effects: Irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea

Other Hazards

No additional information available

Unknown Acute Toxicity

No data available



State Board EMA Liquid

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 09-20-2017
Version 1.0

SECTION 3: COMPOSITION/INGREDIENT INFORMATION

Name	Product Identifier	%	EINECS/ELINCS
Ethyl Methacrylate	97-63-2	99	202-597-5



State Board EMA Liquid

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 09-20-2017
Version 1.0

SECTION 4: FIRST-AID MEASURES

First-Aid Measures:

First-Aid Measures After Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

First-Aid Measures After Skin Contact: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

First-Aid Measures After Eye Contact: . Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid. Do NOT allow victim to rub eyes or keep eyes closed.

First Aid Measures After Ingestion: Never give anything by mouth to an unconscious person. Get medical aid. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupful of milk or water.

Seek medical assistance for further treatment, observation and support if necessary.

SECTION 5: FIRE-FIGHTING MEASURES

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form an explosive mixture with air. Vapors can travel to a source of ignition and flash back. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Water may be ineffective. Material is lighter than water and a fire may be spread by the use of water. Flammable liquid and vapor. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas. May polymerize explosively when involved in a fire. Containers may explode if exposed to fire.

Extinguishing Media: For small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. Water may be ineffective. Water may spread fire. If water is the only media available, use in flooding amounts. For large fires, use water spray, fog or alcohol-resistant foam. Do NOT use straight streams of water. Cool containers with flooding quantities of water until well after fire is out.

Flash Point: 21 deg C (69.80 deg F)

Autoignition Temperature: Not available.

Explosion Limits, Lower:1.8

Upper: Saturation

NFPA Rating: (estimated) Health: 2; **Flammability:** 3; **Instability:** 2



State Board EMA Liquid

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 09-20-2017
Version 1.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.

For Non-Emergency Personnel

For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse

For Emergency Responders

For spills ³1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth).

Environmental Precautions

Use ONLY non-sparking tools for recovery and cleanup.

Methods and Material for Containment and Cleaning Up

Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal.

Reference to Other Sections

Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

SECTION 7: HANDLING AND STORAGE

Work & Hygiene Practices

Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap & water after using this product. If necessary, use a moisturizer after washing. Do not eat, drink, or smoke while handling this product.

Storage Conditions:

Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level

Keep away from children at all times!



State Board EMA Liquid

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 09-20-2017
Version 1.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Controls

Appropriate Engineering Controls	Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station)
Hand Protection	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ³ 1 gallon), wear rubber or impervious plastic gloves.
Eye Protection	Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.
Skin and Body Protection	No apron required when handling small quantities. When handling large quantities (e.g., ³ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.
Respiratory Protection	No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia .
Thermal Hazard Protection	Keep away from flame.
Other Information	



State Board EMA Liquid

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 09-20-2017
Version 1.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Appearance	Liquid
Color	Clear
Odor	Acrid Odor
Odor Threshold	NE
pH	NA
Relative Evaporation Rate (butylacetate=1)	NA
Melting Point	ND
Freezing Point	-75°C
Boiling Point	118°C
Flash Point	15°C/ 59°F
Auto-Ignition Temperature	710
Decomposition Temperature	ND
Flammability (Solid, Gas)	ND
Vapor Pressure	21.3nbar @ 20C
Relative Vapor Density at 20°C	3.9
Specific Density	.9180g/cm3
Density	0.791 1
Solubility	Negligible
Molecular Formula	C ₆ H ₁₀ O ₂
Molecular Weight	114.14
Viscosity,	.63 mPas @20C
Viscosity, Dynamic	ND
Explosive Properties	ND
Oxidizing Properties	ND
Explosive Limits	ND
	ND

Other Information

No additional information available.



State Board EMA Liquid

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 09-20-2017
Version 1.0

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: Stable at room temperature in closed containers under normal storage and handling conditions. Stable. However, it may undergo explosive polymerization if uninhibited.

Conditions to Avoid: Incompatible materials, ignition sources, metals, excess heat, strong oxidants, temperatures above 40°C.

Incompatibilities with Other Materials: Strong oxidizing agents, strong acids.

Hazardous Decomposition Products: Carbon monoxide, carbon monoxide, carbon dioxide.

Hazardous Polymerization: Will occur.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

RTECS#:

CAS# 97-63-2: OZ4550000

LD50/LC50:

CAS# 97-63-2:

Inhalation, rat: LC50 = 8300 ppm/4H;

Oral, mouse: LD50 = 7836 mg/kg;

Oral, rat: LD50 = 14800 mg/kg;

Carcinogenicity:

CAS# 97-63-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No information available.

Teratogenicity: No information available.

Reproductive Effects: No information available.

Mutagenicity: No information available.

Neurotoxicity: No information available.

Other Studies:

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: No data available. No information available.

Environmental: Terrestrial: Expected to be highly mobile in soil.

Aquatic: Not expected to absorb into sediments.

Atmospheric: Volatilization rapid, half-life 7.7 hours. Will completely biodegrade but will not bioconcentrate.

Physical: No information available.

Other: No information available.



State Board EMA Liquid

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 09-20-2017
Version 1.0

SECTION 13: DISPOSAL CONSIDERATIONS

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series:

CAS# 97-63-2: waste number U118.

SECTION 14: TRANSPORT INFORMATION

The basic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

DOT(US)

UN-NO	UN2277
Hazard Class	3
Packing Group	II

TDG

UN-NO	UN2277
Hazard Class	3
Packing Group	II
Flashpoint	15C

IATA

UN-NO	UN2277
Proper Shipping Name	Ethyl Methacrylate, Stabilized
Hazard Class	3
Packing Group	II

IMDG/MO

UN-NO	UN2277
Proper Shipping Name	Ethyl Methacrylate, Stabilized
Hazard Class	3
Packing Group	II

SECTION 15: REGULATORY INFORMATION

TSCA

CAS# 97-63-2 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

CAS# 97-63-2: 40 CFR 799.5055

Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

CERCLA Hazardous Substances and corresponding RQs

CAS# 97-63-2: 1000 lb. final RQ; 454 kg final RQ

SARA Section 302 Extremely Hazardous Substances

None of the chemicals in this product have a TPQ.

SARA Codes

CAS # 97-63-2: immediate, fire, reactive.

This material does not contain any Class 2 Ozone depleters.



State Board EMA Liquid

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 09-20-2017
Version 1.0

SECTION 15: REGULATORY INFORMATION

Section 313 No chemicals are reportable under Section 313.

Clean Air Act:

This material does not contain any hazardous air pollutants.
This material does not contain any Class 1 Ozone depleters.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA.
None of the chemicals in this product are listed as Priority Pollutants under the CWA.
None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

STATE

CAS# 97-63-2 can be found on the following state right to know lists: New Jersey, Pennsylvania, Massachusetts.

California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols:

XI F

Risk Phrases:

R 11 Highly flammable.
R 36/37/38 Irritating to eyes, respiratory system and skin. R 43 May cause sensitization by skin contact.

Safety Phrases:

S 16 Keep away from sources of ignition - No smoking.
S 29 Do not empty into drains.
S 33 Take precautionary measures against static discharges.
S 9 Keep container in a well-ventilated place.

WGK (Water Danger/Protection)

CAS# 97-63-2: 1

Canada - DSL/NDSL

CAS# 97-63-2 is listed on Canada's DSL List.

Canada - WHMIS

This product has a WHMIS classification of B2, D2B.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

Canadian Ingredient Disclosure List

CAS# 97-63-2 is listed on the Canadian Ingredient Disclosure List.



State Board EMA Liquid

Millenia Productions, LLC.
DBA La Palm Spa Products®
3819 N Toben Rd, Wichita, KS 67226
PH: (316) 425-2500 FAX: (316) 425-2300

Revision Date: 09-20-2017
Version 1.0

SECTION 16: OTHER INFORMATION

Other Information: Keep out of reach of children. Do not take internally. Store in a cool, dry place. Keep away from heat and open flame.

Terms & Definitions: See last page of this SDS.

Disclaimer:


This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. The information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition

NFPA Rating

NFPA Health Hazard: 2

NFPA Fire Hazard: 3

NFPA Reactivity Hazard: 2



HMIS II Rating

HMIS II Health Hazard: 2

HMIS II Fire Hazard: 3

HMIS II Reactivity Hazard: 2

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.